

ZOOM (Consent Form)

Zoom in-office tooth whitening is a procedure designed to lighten the color of my teeth using a combination of a hydrogen peroxide gel and a specially designed visible LED light lamp. The zoom treatment involves using the gel and lamp in conjunction with each other to produce whitening results in the shortest possible time. During the procedure, the whitening gel will be applied to my teeth and my teeth will be exposed to the light from the Zoom lamp for four (4) 15 minute sessions. During the entire treatment, a plastic retractor will be placed in my mouth to help keep it open and the soft tissues of my mouth (i.e., my lips, gums, cheeks and tongue) will be covered to ensure they are not exposed to either the gel or light. I will be provided a visible LED light filter for my eyes. After the treatment is completed, the retractor and all gel and tissue coverings will be removed from my mouth. Before and after the treatment, the shade of my upper-front teeth will be assessed and recorded.

I understand that:

- * existing tissue should be treated before undergoing a whitening procedure.
- * results may vary or regress due to a variety of circumstances
- * Zoom whitening treatments are not intended to lighten artificial teeth, caps, crowns, veneers or porcelain, composite or other restorative materials, and that these types of restorations may need to be replaced at my expense to match my newly whitening teeth.
- * darkly stained yellow, or yellow-brown teeth, frequently achieve better results than people with gray or bluish-gray teeth.
- * teeth with multiple colorations, bands, splotches or spots due to tetracycline use or fluorosis do not whiten as well, may whiten unevenly, may require additional whitening ,or may not whiten at all.
- * previous orthodontic treatments may cause teeth to whiten unevenly.
- * those with porcelain crowns, amalgams, lingual bars or implants may feel more heat.
- * teeth with many fillings or cavities may not lighten and are usually best treated with other non-whitening alternatives.
- * the Zoom lamp emits visible LED light and all materials used in the isolation process, will block most exposures of soft tissues to this light.
- * it is recommended that those currently treated for a serious illness or disorder (e.g. immune compromised, AIDS, etc) should consult a medical doctor before use.
- * **Zoom treatment is not recommended for pregnant or lactating women.**

I understand that the results of my Zoom Treatment cannot be guaranteed

I understand that in-office whitening treatments are considered generally safe for most dental professionals. I understand that although my dentist has been trained in the proper use of the Zoom whitening system, the treatment is not without risk.

I understand that some of the potential complications of this treatment include, but are not limited to:

Tooth Sensitivity/Pain – During the first 24 hours after Zoom treatment, some patients can experience some tooth sensitivity or pain. This is normal and is usually mild, but it can be worse in susceptible individuals. Normally, tooth sensitivity or pain following a Zoom treatment subsides within 72 hours, but in rare cases can persist for longer periods of time in some cases. People with existing sensitivity, recession exposing root surfaces, exposed dentin, untreated caries, cracked teeth, abfractions, oral tissue injury, open cavities, leaking fillings, or other dental conditions may cause some sensitivity. These conditions may increase or prolong tooth sensitivity or discomfort after Zoom treatment.

Gum/Lip/Cheek Inflammation/Burn – Isolation during the whitening procedure may cause or result in (i) inflammation of you gums, lips or cheek margins due to exposure of a small area of those tissues to the whitening gel or the LED light, or (ii) a chemical burn due to whitening gel coming in contact with soft tissue. The inflammation or burn is usually temporary and will subside in a few days, but may persist longer and may result in significant pain or discomfort, depending on the degree to which the soft tissues were exposed to the gel or LED light.

Dry/Chapped Lips – The Zoom treatment involves three, 15-minute sessions during which the mouth is kept open continuously for the entire treatment by a plastic retractor which covers the lips. This could result in dryness or chapping of the lips or cheek margins, which can be treated by application of lip balm, petroleum jelly or Vitamin E oil.

Cavities or Leaking Fillings – Most dental whitening is indicated for the outside of the teeth, except for patients who have already undergone a root canal procedure. If any open cavities or fillings allow gel to penetrate the tooth significant pain can result. I understand that if my teeth have these conditions, I should have my cavities filled or my fillings done before undergoing the Zoom treatment.

Cervical Abrasion/Erosion – These are conditions which affect the roots of the teeth when the gums recede and they are characterized by grooves, notches and/or depressions, that appear darker than the rest of the teeth, where the teeth meet the gums. These areas appear darker because they lack the enamel that covers the rest of the teeth. Even if these areas are not currently sensitive, they can allow the whitening gel to penetrate the teeth, causing sensitivity. I understand that if cervical abrasion/erosion exists on my teeth, these areas will be covered with dental dam prior to my Zoom treatment.

Relapse – After the Zoom treatment, it is natural for the teeth that underwent the Zoom treatment to regress somewhat in their shading after treatment. This is natural and should be very gradual, but it can be accelerated by exposing the teeth to various staining agents. Treatment usually involves wearing a take-home tray or repeating the Zoom treatment. I understand that the results of the Zoom treatment are not intended to be permanent and take-home treatments may be needed for me to maintain the tooth shade I desire for my teeth.

The safety, efficacy, potential complications and risks of Zoom treatment can be explained to me by my dentist or hygienist and I understand that more information on this will be provided to me upon my request. Since it is impossible to state every complication that may occur as a result of Zoom treatment, the list of complications in this form is incomplete.

The basic procedures of Zoom treatment and the advantages and disadvantages, risks and known possible complications of alternative treatments have been explained to me by my dentist and hygienist. They have answered all my questions to my satisfaction.

Signatures

By signing this document in the space provided, I indicate that I have read this informed consent (or it has been read to me). I fully understand the entire document and the possible risks, complications and benefits that can result from the Zoom treatment, and I give my permissions for the Zoom treatment to be performed on me.

Patient's Signature and Date:

Patient's Name (printed) and Date:

Dentist's Signature and Date:

Dentist's Name (printed) and Date: